	Application No.	Applicant(s)
•	09/830,528	JALLET ET AL.
Notice of Allowability	Examiner	Art Unit
	Gary K Graham	1744
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this appropriate communication GHTS. This application is subject and MPEP 1308.	pplication. If not included in will be mailed in due course, THIS to withdrawal from issue at the initiativ
 ∆ This communication is responsive to <u>amendment filed 08 I</u> ∆ The allowed claim(s) is/are <u>10-27</u> ∆ The drawings filed on <u>26 April 2001</u> are accepted by the Extending Acknowledgment is made of a claim for foreign priority under the communication of the communic	kaminer.	<u>January 2004.</u>
a) ⊠ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☒ Copies of the certified copies of the priority documents.	been received in Application No	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority ur reference was included in the first sentence of the specifica (a) The translation of the foreign language provisional a 6. Acknowledgment is made of a claim for domestic priority ur in the first sentence of the specification or in an Application	ition or in an Application Data Shee pplication has been received. nder 35 U.S.C. §§ 120 and/or 121 s	st. 37 CFR 1.78.
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of the complete of the comple	this communication to file a reply of	
7. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No 		-948) attached
 (b) ☐ including changes required by the proposed drawing or (c) ☐ including changes required by the attached Examiner's 		•
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawi e margin according to 37 CFR 1.121	ngs in the front (not the back) of (d).
9. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT FOR Th		
Attachment(s)		
1 Notice of References Cited (PTO-892)		atent Application (PTO-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)		(PTO-413), Paper No. <u>01082004</u> .
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No	/ Examiner's American	1
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8∏ Examiner's Statemer	nt of Reasons for Allowance

Gary K Graham Primary Examiner Art Unit: 1744

Application/Control Number: 09/830,528

Art Unit: 1744

EXAMINER'S AMENDMENT

The following changes are made to correct what appears to be an inaccurate description of the upstream wing in claims 11 and 20. While the claims set forth that the upstream wing presents a planar surface, it appears the surface of the wing would not be planar as claims 10 and 19 set forth that the upstream wing is curved along its length. It does however appear the upstream wing will be substantially flat in transverse cross-section. Note figures 4 and 5 wherein the upstream wing (20) is shown as flat in the transverse cross-section. Also, note paragraph 31 of the specification, wherein the upstream wing is defined as flat but inclined.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas D. Helmholdt on 08 January 2004.

The application has been amended as follows:

In the Claims

In claim 11, line 2, change "presenting a substantially planar surface" to ---being, in transverse cross-section, substantially flat---.

In claim 20, line 2, change "presenting a substantially planar surface" to ---being, in transverse cross-section, substantially flat---.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden can be reached on 571-272-1281. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

- Gary K Graham

Primary Examiner Art Unit 1744

GKG

08 January 2004